



PRODUCT PROFILE



GAJRA GEARS

#1 in Transmission Gears

PROFILE

Since its inception in 1962 Gajra Gears is known as a Quality gear manufacturer in the country.

Currently Gajra Gears is the largest manufacturer of automobile transmission gears in India employing over 1000 trained and committed employees and offering a range of 1100 gears of all major brands of light, medium and heavy commercial vehicle and also Jeep and Tractors.

QUALITY : The gears produced are in the world class quality of DIN 6 – 9 manufacture mainly on CNC machine.

The company is fully equipped with Quality Control equipment with proper standard room. Following modern testing equipment are available in the company:-

- Klingelnberg Gear Tester
- Micro Hardness Tester
- Optical Brinell hardness Tester
- L K Integra MM
- Microtechnica Optical Profile Projector
- Rockwell Digital Hardness Tester
- Countour Measuring Machine

CAPABILITIES : Transmission Gears size :

- Gears up to 8.0 Module and 400 mm diameter
- Shafts up to 700 mm long

CUTTING TOOLS : In house manufacturing of our Cutting Tools (Hobs, Shaper/ Shaving Cutters) is our strength.

LEADING MANUFACTURER & EXPORTER : Exports to US, EU and South-East Asia.



INDEX

GAJRA GEARS

TRANSMISSION RANGE 2-14

PRODUCT DIVISION RANGE

(INDEX ON PAGE NO. 15) 16-24

DIFFERENTIAL RANGE 25-28

TRANSMISSION RANGE

TATA

GBS-680 / 750 2-3

GBS-600 3-4

GBS-40 & HR 4-5

GBS-27 & GBS-36 / 38 6

GBS-18 & GBC-30 7

GBS-50 8

LEYLAND

ZF-6S (GBS-850) 10-11

ZF-5S 11-12

GB-2/2A & GB-13 12

MAHINDRA & MAHINDRA

NGT-520 13

CJB-3 14

PEUGEOT (TRUCK) 14






GAJRA
1 in Transmission Gear

GBS 680/750 GEAR BOX RANGE

Available



GAJRA
1 in Transmission Gear

GBS 600 GEAR BOX RANGE

Available



Note : Marked items suitable with carbon line rings for better service.

TATA 4016/ 3516/ 3716 BSIII (GBS-680-750)

DESCRIPTION	O.E. PART NO.	NO. OF TEETH	GG No.
SYNCHRO CONE 1, 2 & 3 SP	2691-2620-4653	51t+42 int.spl	1321R
SYNCHRO CONE 5&6 SP	2691-2620-4630	51t+23 Int.spl	1325R
ENGAG.GEAR REVERSE	2691-2620-4659	32t+26 int.spl	1331R
SYNCHRO CONE 4TH SPEED	2691-2620-4654	51t+45 int.spl	1332R
MAIN DRIVE 8.47:1	2691-2625-0154	18t	1345R
MAIN DRIVE	2691-2625-0149	18t+10 int.spl	1346R
MAIN DRIVE	2691-2625-0173	17t	1347R
5TH SPEED GEAR COUNTER SHAFT	2691-2630-5421	32t	241RG
4TH SPEED GEAR MAIN SHAFT	2691-2620-5428	23t+45t	30RG
CONSTANT MESS GEAR	2691-2630-5431	40t	341RB
CONSTANT MESH GEAR	2691-2630-5422	39t	341RG
MAIN SHAFT	2691-2620-7913	33t+26t+38t+26t+26tspl	38R
3RD SPEED GEAR MAIN SHAFT	2691-2620-5427	29t+42t	40RG
2ND SPEED GEAR MAIN SHAFT	2691-2620-5426	36t+42t	42RG
COUNTER SHAFT (HELICAL)	2691-2630-7913	17t+10 spl	43/4RG
COUNTER SHAFT	2691-2630-7906	11t+17t	43RG
1ST SPEED GEAR MAIN SHAFT	2691-2620-5446	43t	44RG
SHIFTER SLEEVE	2691-2620-4631	51 Int.spl	503R
REVERSE GEAR ON MAIN SHAFT	2691-2620-5430	38t+32t Int spl	535R
ENGAG.GEAR 1&2ND	2691-2620-4658	48t	682R
REVERSE IDLR GEAR	2691-2635-5404	21t	88R
ENGAG.GEAR 3&4TH	2691-2620-4626	48t+26 int.s	886R
ENGAG.GEAR 5&6TH	2691-2620-4627	42t	89R
3RD SPEED GEAR COUNTER SHAFT	2691-2630-5419	23t	953RG
4TH SPEED GEAR COUNTER SHAFT	2691-2630-5420	28t	954RG
5TH SPEED GEAR MAIN SHAFT	2691-2620-5429	19t	1330RG
MAIN DRIVE 9.19:1	2691-2625-0140	17t	1345RB
1ST SPEED GEAR (HELICAL)	2691-2620-5454	39t	44/4RG
MAIN DRIVE 6.58:1	2691-2625-0156	19t	1345RCG
CLUTCH BODY M/D	NPN	51t+23 spl.	1346/2R
REVERSE GEAR ON M/S (HELICAL)	2691-2620-5457	34t	535/4RG
REVERSE IDLR GEAR (HELICAL)	2691-2635-5408	19t	88/4RG

TATA 2515EX/ 2516/ 3516/ 4016 (GBS-600)

DESCRIPTION	PART NO.	NO. OF TEETH	GG No.
5TH GEAR MAIN SHAFT	2691-2620-0163	19t	1330N
ENGAG.GEAR REVERSE	2691-2620-4616	26 int.s+32t	1331N
MAIN DRIVE THRUST BRG. TYPE	2691-2625-0126	18t	1345N
5TH ON COUNTER SHAFT	2691-2630-5410	32t	241N
OD GEAR ON MAIN SHAFT	2691-2630-5414	39t	241NB
COUNTER SHAFT K/W	2691-2630-5410	32t	241NK
CLUTCH BODY 4TH	2691-2620-4629	51t	30/2N
CLUTCH BODY 4TH (CARBON)	2691-2620-4629	51t	30/3N
4TH SP GEAR ON MAIN SHAFT	2691-2620-0137	24t	30N
4TH SP GEAR ON MAIN SHAFT ^(CARBON)	2691-2620-0137	24t	30NM
CONSTANT MESH GEAR	2691-2630-5423	39t	341N
CONSTANT MESH GEAR	2691-2630-5411	40t	341NB

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
CONSTANT MESH 6SP (OD)	2691-2630-5413	32t	341NC
CONSTANT MESH GEAR K/W	2691-2630-5423	39t	341NK
MAIN SHAFT THRUST BRG.	2691-2620-7909	34s+26s+38s+26s+18s	38/4N
MAIN SHAFT 9.90 THRUST BRG.	2691-2620-7911	34s+26s+38s+26s+18s	38/5N
MAIN SHAFT	2691-2620-7905	34s+26s+38s+26s+18s	38N
3RD SP GEAR ON MAIN SHAFT	2691-2620-0136	30t	40N
3RD SP GEAR ON MAIN SHAFT (CARBON)	2691-2620-0136	30t	40NM
2ND SP GEAR	2691-2620-0133	36t	42N
2ND SP GEAR ON MAIN SHAFT (CARBON)	2691-2620-0133	36t	42NM
COUNTER SHAFT	2691-2630-7904	11t+16t	43N
COUNTER SHAFT K/W	2691-2630-7904	11t+16t	43NK
CLUTCH BODY 1ST	2691-2620-4609	51t	44/2N
CLUTCH BODY 1ST (CARBON)	2691-2620-4609	51t	44/3N
1ST SP GEAR ON MAIN SHAFT	2691-2620-0135	43t	44N
1ST SP GEAR ON MAIN SHAFT (CARBON)	2691-2620-0135	43t	44NM
C/BODY DRIVE SHAFT	2691-2625-4605	48t	45/2N
MAIN DRIVE TAP.BRG	2691-2625-0117	18t	45N
MAIN DRIVE TAP.BRG	2691-2625-0118	17t	45NB
MAIN DRIVE TAP.BRG	2691-2625-0110	19t	45NC
SHIFTER SLEEVE	2691-2620-4618	45 int.s	503N
REVERSE GEAR ON MAIN SHAFT	2691-2620-5413	32 int.s+37t	535N
ENGAG. GEAR 1&2	2691-2620-4615	38 int.s	682N
REVERSE IDLR GEAR	2691-2635-5403	21t	88N
ENGAG.GEAR 3&4	2691-2620-4621	26 int.s	886N
ENGAG.GEAR (THRUST BEARING)	2691-2620-4640	34t+36t	89/4N
ENGAG.GEAR 5&6 (TAPPER BEARING)	2691-2620-4612	34 int.s	89N
3RD SP GEAR ON COUNTER SHAFT	2691-2630-5424	22t	953N
4TH SP GEAR ON COUNTER SHAFT	2691-2630-5425	27t	954N
SHIFTER SLEEVE 5&6	2688-2620-4608	30t	995N
5TH SPEED GEAR ON MAIN SHAFT	2691-2620-0146	18t	1330NB
MAIN DRIVE THRUST BRG.	2691-2625-0136	17t	1345NB
MAIN DRIVE THRUST BRG.	2691-2625-0135	19t	1345NC
MAIN DRIVE THRUST BRG.	2691-2625-0147	18t	1346N
OD GEAR ON COUNTER SHAFT	NPN	39t	241NBK
CONSTANT MESH GEAR K/W	2691-2630-5411	40t	341NBK
CONSTANT MESH K/W	NPN	32t	341NCK
4TH SP GEAR ON COUNTER SHAFT	2691-2630-5428	27t	954/4N
SYNCHRO RING CARBONE	2691-2620-4650	42t int.s.34	1324/4
SYNCHRO RING CARBONE	2691-2620-4651		1325/4
CLUTCH BODY 5th	2691-2620-4652	48t	1330/2N
CLUTCH BODY MAIN DRIVE (TH BRG.)	2691-2625-4605	48t	1345/2N
CLUTCH BODY 5th	2691-2620-4645	48t	1330/2NB

TATA 1312/1612/1613/1616 (GBS-40)

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
4TH SP GEAR ON COUNTER SHAFT	2505-3014-5401	29t	241E
4TH SP GEAR ON MAIN SHAFT	2505-3015-0105	19t	30E
4&5TH SLEEVE	NPN	45t+27 Int.s	31E
CONSTANT MESH GEAR	2505-3014-5402	36t	341E
MAIN SHAFT LONG PBD	2505-2620-7903	8 spl	38/6E

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
MAIN SHAFT	2505-3015-7901	8 spl	38E
3RD SPEED SLEEVE ASLY	322-260-0644	25t	40E
2ND SPEED GEAR	322-262-0112	32t	42E
COUNTER SHAFT	2505-2630-7901	11s+11t	43E
COUNTER SHAFT TIPPER	2505-3014-7901	11 spl+11t+17t	43ET
1ST SPEED GEAR	2505-3015-5401	39t	44E
CUMMINS M/DRIVE MOD	2505-2625-7902	17t	45/4E
MAIN DRIVE	2505-2625-7913	17t	45/5E
MAIN DRIVE LONG PBD	2505-2625-7905	17t	45/6E
MAIN DRIVE EN353	2505-2625-7915	17t	45/7E
MAIN DRIVE	2505-2625-7905	17t	45/8E
MAIN DRIVE	2505-2625-7918	18t	45/9E
MAIN DRIVE	2505-3013-7901	17t	45E
SHIFTER SLEEVE	321-262-0823	45 int.t	503E
REVERSE GEAR MAIN SHAFT	322-263-0333	36t	535E
TWIN GEAR	322-263-0313	23t+17t	573E
TWIN GEAR	322-263-0313	17t+23t	573EP
COLL.BUSH 47.20	2505-3015-3401	8 Int.s	63E
COLL.BUSH 44.5	322-262-4050	8 Int.s	64E
SYNCHRO RING 5TH	340-262-0134	45t	846E
REVERSE IDLR GEAR	322-260-0725	20t	88E
HUB 2&3	322-262-0435	39t	886E
SYNCHRO SLEEVE 4&5TH	2505-3015-5403	39t	89E
PARTED TWIN GEAR	2505-2630-5415	23t	953E
PARTED TWIN GEAR	2505-2630-5412	17t	954E
SHIFTER SLEEVE 1ST	321-262-0723	45 spl	995E
3RD SPEED GEAR C/ SHAFT T/T	2505-2630-5415	23t	953/4E
2ND SPEED GEAR C/ SHAFT T/T	2505-2630-5412	17t	954/4E

TATA 1312/1612/1613/1616 (GBS-40 H.R)

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
4TH SPEED GEAR COUNTER SHAFT	2505-2630-5401	28t	241EM
4TH SPEED GEAR	2505-2620-0111	20t	30EM
CONSTANT MESH GEAR	2505-3014-5406	38t	341EM
3RD SPEED GEAR MOD	2505-2620-0118	26t	40EM
COUNTER SHAFT	2505-2630-7902	11s+12t+11t	43EM
COUNTER SHAFT (TIPPER)	2505-2630-7903	12t+11t+17t	43EMT
1ST SPEED GEAR MAIN SHAFT	2505-3015-5412	38t	44EM
MAIN DRIVE	2505-2625-7919	15t+10 spl	45/4EM
MAIN DRIVE	2505-3013-7905	15t	45EM
TWIN GEAR COUNTER SHAFT	2505-2630-5402	17t+22t	573EM
COLLAR BUSH 1ST SPEED	2505-3015-3401	8 Int.s	63EM
SYNCHRO CONE MOD	322-262-0034	45t	846EM
SYNCHRO HUB 2/3RD	322-262-0435	39t	886EM
SYNCHRO HUB 4/5TH	2505-3015-5403	39t	89EM
SPLIT TWIN GRAR	2505-2630-5411	22t	953EM
TWIN GEAR COUNTER SHAFT	2505-2630-5402	17t+22t	573EMP
SPLIT TELCO TYPE	2505-2630-5411	22t	953/4EM

TATA 709 (GBS-27)

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
4TH SPEED GEAR COUNTER SHAFT	2516-2630-5410	28th	241F
CLUTCH BODY 4TH	NPN	42t	30/2F
4TH SPEED GEAR	2516-2620-0167	19t	30F
COUNTER SHAFT	2516-2630-5408	39t	341F
MAIN SHAFT	2516-2620-7905	8 spl	38F
CLUTCH BODY 3RD	NPN	42t	40/2F
3RD SPEED GEAR	2516-2620-0137	22t	40F
2ND SPEED GEAR MAIN SHAFT	2516-2620-5421	31t	42F
COUNTER SHAFT	2516-2630-7904	20t+16t+12t+12t	43F
WHEEL 1ST SPEED	2516-2620-5420	43t	44F
MAIN DRIVE TURBO	2516-2625-7905	18t	45/4F
MAIN DRIVE	2516-2625-7904	19t	45F
SYNCHRO SLEEVE 2/3/4/5th	2508-2620-4601	24 Int.t	503F
REVERSE GEAR MAIN SHAFTHAFT	2516-2620-5441	39t	535F
COLLAR BUSH REVERSE	2516-2620-3472	8 spl	63F
COLLAR BUSH 2/3RD SPEED	2508-2620-3402	8 int s	64F
SYNCHRO CONE M/D	2516-2625-4601	42t+17 Int.s	846F
REVERSE IDLR GEAR	2516-2635-5405	26t	88F
SYNCHRO SLEEVE 2&3RD	2508-2620-5404	30t+8 spl	886F
SYNCHRO SLEEVE 4/5th	2516-2620-5430	30t+8 spl	89F
SYN. SLEEVE 1ST & REVERSE	2516-2620-4601	24 Int.t	995F
4TH SPEED GEAR C/SHAFT MOD	2516-2630-5411	26t	241FM
4TH SPEED GEAR MAIN SHAFT	2516-2620-0168	20t	30FM
CONSTANT MESH GEAR	2516-2630-5407	31t	341FM
3RD SPEED GEAR	2516-2620-0176	23t	40FM
2ND SPEED GEAR MAIN SHAFT MOD	2516-2620-5431	32t	42FM
COUNTER SHAFT	2516-2630-7906	19t+15t+12t	43FM
4TH SPEED GEAR (BEARING TYPE)	2519-2620-0197	20t	30/4FM

TATA 410 BS-III (GBS-36/38)

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
SHIFTER SLEEVE 1ST/REVERSE	2852-2630-4607	-	995LB
4TH SPEED GEAR	2852-2620-5404	21t	30LB
CONSTANT MESH GEAR	2852-2635-5401	-	341LB
MAIN DRIVE	2852-2625-7903	17t	45LB
REVERSE IDLR GEAR	2852-2635-5401	22t	88LB
REVERSE GEAR MAIN SHAFT	2852-2620-5405	36t	535LB
COUNTER SHAFT 4TH SPEED GEAR	2852-2630-5401	36t	241LB
COUNTER SHAFT 5.53	2852-2630-7902	27t+20t+13t+13t	43LB
SLEEVE 2/3/4/5TH	2852-2620-4608	42t	65LB
ENGAGING GEAR 4&5	2852-2620-4606	36t+Int.Spl.25	89LB
COUNTER SHAFT	2852-2630-7901	26t+20t+13t+13t	43/4LB

TATA 407 (GBS-18)

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
COUNTER SHAFT DOUBLE	2515-2630-5402	33t	241L
4TH SPEED GEAR	2515-2620-5401	22t	30L
4TH SPEED GEAR	2515-2620-5401	22t	30LM
SLEEVE 4/5TH	2515-2620-4601	36 spl	31L
COUNTER SHAFT DOUBLE	2515-2630-5403	36t	341L
CONSTANT MESH GEAR	2515-2630-5403	37t	341LM
MAIN SHAFT	2515-2620-7904	26s+34s+34s+16s	38L
3RD SPEED GEAR	2515-2620-5408	23t	40L
2ND SPEED GEAR	2515-2620-5402	32t	42L
COUNTER SHAFT	2515-2630-7902	24t+19t+13t+13t	43L
COUNTER SHAFT TURBO	2515-2630-7904	24t+19t+13t+13t	43LM
1ST SPEED GEAR	2515-2620-5411	38t	44L
MAIN DRIVE TURBO	2515-2625-7908	18t	45/5L
MAIN DRIVE 5.54	2515-2625-7913	19t	45/6L
MAIN DRIVE	2515-2625-7902	19t	45L
MAIN DRIVE	2515-2625-7904	18t	45LM
REVERSE GEAR	2515-2620-5403	36t	535L
COLLAR BUSH 4TH SPEED	2515-2620-3402	plain	64L
COLLAR BUSH TURBO	2515-2620-3404	plain	64LM
SLEEVE 2/3RD	2515-2620-4604	45t	65L
HUB 2&3	2515-2620-5407	45t	682L
REVERSE IDLR GEAR	2515-2635-5402	22t	88L
HUB 4TH	2515-2620-5410	36t	89L
CONSTANT MESH GEAR	2515-2630-5410	37t	341/5LM

TATA 1210 / 1210S (GBC-30)

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
COUNTER SHAFT	042-263-0002J	12t+13t+15t+20t	43A
1ST SPEED SLIDING GEAR	341-262-0011	39t	44A
COLLAR BUSH	312-262-1750	8 Int.s	64
ENGAG.GEAR 2&3	312-262-2436	26t	682
3RD SPEED GEAR	341-262-0013	22t	40A
2ND SPEED GEAR	341-262-0012	28t	42A
2&3 SLEEVE	341-262-0023	26 Int.t	65A
SPLIT DOUBLE GEAR SMALL	2506-2630-5405	29t	29TS
4TH SPEED GEAR	2506-2620-5405	20t	30S
SPLIT DOUBLE GEAR BIG	2506-2630-5406	34t	34TS
MAIN SHAFT	2506-2620-7902	8 spl	38S
COUNTER SHAFT	2506-2630-7901	12t+13t+15t+20t	43S
1ST SPEED GEAR	2506-2620-5402	39t	44S
MAIN DRIVE	2506-2625-7901	15t	45S
REVERSE GEAR	2506-2620-5401	35t	535S
REVERSE IDLR GEAR	2506-2635-7901	plain	736S
REVERSE IDLR GEAR	2506-2635-5404	23t	88S
ENGAG.GEAR 4&5	2506-2620-5406	26t	89S
REVERSE IDLR GEAR	2505-2635-0105	20t	88ES

TATA 2214 (GBS-50)

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
SYNCHRO RING 1,2,3&4	2507-2620-4611	51t	1321H
ENGAGING GEAR REVERSE	2507-2620-4605	51t	1322H
4TH SPEED GEAR COUNTER SHAFT	2507-2630-5407	33t	241H
4TH SPEED GEAR MAIN SHAFT	2507-2620-5418	23t	30H
CONSTANT MESH GEAR	2507-2630-5408	43t	341H
MAIN SHAFT	2507-2620-7902	8 spl	38H
3RD SPEED GEAR	2507-2620-5414	29t	40H
2ND SPEED GEAR	2507-2620-5415	37t	42H
COUNTER SHAFT TIPPER TYPE	2507-2630-7907	13t+13t	43/4H
COUNTER SHAFT	2507-2630-7903	13t+13t	43H
1ST SPEED GEAR	2507-2620-5416	45t	44H
MAIN DRIVE MOD	2507-2625-7911	19t	45/4H
MAIN DRIVE	2507-2625-7904	19t	45H
SHIFTER SLEEVE	2507-2620-4603	45 int t.	503H
REVERSE IDLR GEAR	2507-2620-5417	42t	535H
TWIN GEAR COUNTER SHAFT	2507-2630-5409	27t+20t	573H
COLLER BUSH	2507-2620-3412	8 spl	64H
SYNCHRO RING 5TH	2507-2620-4613	51t	846H
REVERSE IDLR ASLY	2507-2635-0102	23t	88H
SYNCHRO SLEEVE HUB	2507-2620-4606	51t	886H
SYNCHRO SLEEVE HUB 4&5	2507-2620-4607	48t+8 ins	89H



Thank You ...
for Selecting Quality Gears to German Standard DIN 6-7
SUPER + + + Plus Range
(Suitable for Leyland 6S-850 & TATA GBS-750 Gear Boxes)

from



GROUND GEARS

made with Imporvised World Class SWISS & GERMAN GEAR GRINDERS

FEATURES & BENEFITS

Stronger Gears : Made with EN353 Steel
 Longer Service : Due to Lead Crowning
 Bye-Bye to Noise : Tip Relieving for noise reduction
 Low Driving Fatigue : Due to smooth Gear Shifting
Result : Better compatibility with other non-ground / other brand (Make) gears due to Lead Crowning of teeth



Wish You
Happy Motoring through
Upgraded Technology
At Affordable Price

If you draw Lead of + + + Plus Ground Gears and Project 600 times more than actual, it looks like diagram shown below :



(APPROX. REPRESENTATIVE DIAGRAM ONLY)

Since + + + Plus Ground Gear's Lead look like a Crown Shape, hence it is called Lead Crowning





GAJRA
1 in Transmission Gear

ZF GEAR BOX RANGE (ZF 6S - 850)

Available



GAJRA
1 in Transmission Gear

ZF GEAR BOX RANGE (ZF 5S - 2214-1613)

Available



LEYLAND ZF GB-850

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
1ST SPEED GEAR MAIN SHAFT	F-1623411/F8A04011	40t	1311/5
SYNCHRO HUB 1&2	F-1608111	45t+36 int.spl	1342/4
SLIDING SLEEVE 3&4	F-1600410	54 Int.spl	3056
CLUTCH BODY 5&6	F-1611111	48t	3058
CLUTCH BODY 3&4	F-1612911	54t	3059
CLUTCH BODY 3&4	F-1612811	54t+48 Int.spl	3060
SYNCHRO BODY(HUB)3&4	F-1672611/FJ400116	48t int.s.	3061
MAIN SHAFT	F-3321511	39t+62t+36t+31t+28spl	3066
SYNCHRO RING 5&6	FD900511/F1624611/1601016	42t	3067
SYNCHRO RING 3&4	FD900411/F1624511/1600816	48t	3068
SYNCHRO RING 1&2	F-1624411	42t	3069
CLUTCH BODY REVERSE	F-1614311	20t+31int.spl.	3074
O/D GEAR	F-1625311	19t	3093
CONSTANT MESH GEAR	F-1613611/F8A05611	48t	3046G
MAIN SHAFT 1ST	F-1614211	39t	3049G
MAIN SHAFT 4TH	F-1614511/1290304574	23t	3050G
MAIN SHAFT 5th	F-1613111	19t	3051G
MAIN SHAFT 2ND	F-1669211	33t+64t	3052G
LEY SHAFT 3RD	F-1613311/1290303202	22t	3053G
LEY SHAFT 4TH	F-1613411/F8A05011	31t	3054G
LEY SHAFT 5TH	F-1613511	36t	3055G
3RD SPEED GEAR MAIN SHAFT	F-1614411/1290304581	25t	3073G
SLIDINGS LEEVE	F-1600510	48 Int.spl	1212RP
COUNTER SHAFT	F-3312011	17t+11 spl	1318/4G
CLUTCH BODY OS 5&6	F-1611111	48t	3058/4
INPUT DRIVE SHAFT	F-3319311/1290302506	20t+10spl	1300/7G
1ST SPEED GEAR MAIN SHAFT	F-1669011	39t	1311/4G
REVERSE GEAR MKII	F-1614811/F-1607711	35t+20t int.	1317/4G

LEYLAND ZF 5S

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
INPUT SHAFT M/D	F-3344211/P-7800733	17t	1300
INPUT SHAFT M/D HINO	F-3347011	17t	1300/4G
INPUT SHAFT	F-3309411	17t	1300/5G
INPUT SHAFT MKII	F-3311311	17t+10spl	1300/6G
SYNCHRO CONE	F-1610411/F-1651111	36t	1301
SYNCHRO CONE	F-1610411/F-1651111	36t	1301/4
SYNCHRO CONE	F-1610511/F-1652811	45t+18 spl	1302
SYNCHRO CONE	F-1610511/F-1652811	45t+18 spl	1302/4
SLIDINGDOG CLUTCH	F1651711/1609611/P7800234	33 spl	1303
SYNCHRO HUB	F1656411/1609511/P7804818	24t+21 spl	1304
SYNCHRO HUB 5/6TH	F1656411/1609511/P7804818	24t+21 spl	1304/4
5TH SPEED GEAR MAIN SHAFT	F1652211/1608011	22t	1306
4TH SPEED GEAR MAIN SHAFT	F1650611/1607911/P7800816	24t	1307
3RD SPEED GEAR MAIN SHAFT	F1650411/1607811/P7800916	27t	1308
5TH SPEED GEAR COUNTER SHAFT	F1651611/1607311	42t	1309
5TH GEAR ON LEY SHAFT	F1610111	49t	1309/4
4TH SPEED GEAR COUNTER SHAFT	F1651311/1607211/P7800116	31t	1310
1ST SPEED GEAR MAIN SHAFT	F-1614711/F-1607611	39t	1311

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
2ND SPEED GEAR MAIN SHAFT	F-1614611/F-1607511	33t+64t	1312
3RD SPEED GEAR COUNTER SHAFT	F-1651411/F-1607111	22t	1313
SYNCHRO CONE 2ND	F-1650111	51t	1314
3&4 SYNCHRO HUB	F-1652111/F-1610611	39t+28s	1315
CONSTANT MESH GEAR	F-1651511	43t	1316
REVERSE GEAR ON MAIN SHAFT	F-1650511/F-1607711	35t+20t int.	1317
LEY SHAFT	F-3343611	11s+16t	1318
MAIN SHAFT	F-3306311/F-3309611	21t+28t+36t+31t+28s	1319
SYNCHRO RING 3&4	F-1600716	42t	1326
SYNCHRO RING 5&6	F-1600316	33t	1328
COLLAR BUSH	F-3436515	plain	1340
SYNCHRO SLEEVE	F-1660111/F-1608211	51 int.t	1341
SYNCHRO HUB 1/2ND	F-1651811	51t+36 int.t	1342
REVERSE IDLR GEAR	F-1608511/F-1605911	20t	1320G

LEYLAND GB2/2A

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
4TH SPEED GEAR K21	F-1629411	37t	24G
3RD SPEED K27	F-1629611	35t	25G
4TH SPEED GEAR K28	F-1629511	27t	26G
2ND SPEED K25	F-1632211	46t	39G
DISTANCE BUSH K19	F-0530232	6 Int.s	58
REVERSE PINION	F-1631111	28t	690
MAIN DRIVE	F-3330911	20t	75G
MAIN SHAFT GEAR K14	F-3331415	6 spl	76
1ST SPEED GEAR	F-1631811	54t	77
COUNTER SHAFT K22	F-1629211	29t	78G
FIXED DOG CLUTCH TOP&4TH FRONT	F-1632711	20t	79
SLIDINGDOG CLUTCH	F-1632911	20t	80
COUNTER SHAFT MOD	F-3342911	17t+6 spl	81/4
FIXED DOG CLUTCH 2ND&3RD SPEED	F-1632811	22t	82
PINION SHAFT (MOD)	F-3336811	20t	824G
FRONT GEAR K20	F-1631211	44t	83G
2ND SPEED GEAR COUNTER SHAFT	F-1631611	24t	84G
REVERSE GEAR MAIN SHAFT	F-1631711	49t	85

LEYLAND GB 13

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
PIN.SFT HENO.MOD	F-3345011	20t	824/4G
4TH SPEED GEAR COUNTER SHAFT	F-1640711	40t	24BG
3RD SPEED MAIN SHAFT	F-1640411	37t	25BG
4TH SPEED GEAR MAIN SHAFT	F-1654011/F-1644411	28t	26BG
2ND SPEED WHEEL MAIN SHAFT	F-1640511	45t	39BG
MAIN SHAFT MOD	F-3342115	6 spl	76B
1ST SPEED GEAR	F-1640611	51t	77BG
3RD SPEED COUNTER SHAFT	F-1640811	32t+6 Int.s	78BG
COUNTER SHAFT	F-3345811	16t+6 spl	81B
2ND SPEED WHEEL COUNTER SHAFT	F-1640911	23t+6 Int.s	84BG
REVERSE WHEEL	F-1641111	48t	85B
4TH SPEED GEAR MAIN SHAFT	F-1605611	27t	26/4BG



M & M NGT 520

DESCRIPTION	O.E. PART NO.	NO. OF TEETH	GG No.
MAIN SHAFT 2WD	0703 DD 1350N	35s+35s+31s+25s	1360
1ST ASLY V4	0703 DD 1270N	34t	1361
2ND ASLY V4	0703 DD 2730N	36t	1362
3RD ASLY V4	0703 DD 2740N	30t	1363
INPUT GEAR	0703 DD 1570N	36t+27t+10s	1364
DRIVEN GEAR 5TH	915 365 6880	29t	1365
SYNCHRO SLEEVE	0703 EA 0020N	36t	1366
HUB 1&2	0703 EA 0030N	36t	1367
HUB 3&4	0703 EA 0040N	36t	1368
DRIVEN REVERSE GEAR	960 348 9380	37t	1369
COUNTER SHAFT V4	0703 DD 2260N	36t+29t+23t+12t+22ints	1370
COUNTER SHAFT V4	0703 DAD 5690N	36t+29t+23t+12t+22ints	1370/4
5TH DRIVE GEAR	0703 DD 0360N	49t	1372
SLIDING REVERSE	0703 DD 1730N	18t	1373
SLEEVE O/SHAFT	0703 DD 1390N	plain	1374
SYNCHRO ASLY 5TH REVERSE	0703 ED 0350N	24 int.t	1375
5TH GEAR	0703 DD 4900N	49t+36t	1376
OUTER SLEEVE 5th	0703 EAD 1110N	36 Int.s.	1377
SYNCHRO ASLY 1&2 WR&DOG	0703 ED 1010N	NPN	1379
SYNCHRO ASLY 3&4 WR&DOG	0703 ED 1020N	NPN	1380
DRIVER 5TH GEAR	0703 DD 4890N	49t+36t+int.spl	3076
5TH REVERSE SUB SHAFT	0703 DD 1370N	14t	1371/4

M & M TRUCK (PEUGEOT)

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
2&3 SPEED GEAR	052610	33t	1112
3RD SPEED GEAR	052611	27t	1113
SLEEVE	052335	33 spl	1114
1ST SPEED GEAR	052300	38t+36 Int.s	1115
2ND SPEED ASLY	052336	33t	1116
3RD SPEED GEAR	052330	27t	1117
CLUTCH HUB	052340	36st+8 int.spl.	1118
REVERSE IDLR GEAR BUS	052067	20t+15t	1323
4TH SPEED GEAR COUNTER SHAFT	92560V	30t+25t+19t+13t	642
4TH SPEED GEAR M/D	052002	22t	643
ASLY HUB&SLEEVE	052486	33t+21 spl	888
MAIN SHAFT	052609	8 spl	889
CLUTCH HUB	052334	33t+21 spl	888/1

M & M JEEP CJB 3

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
OUTPUT SLIDING GR	809290	33t+12t	105
MAIN SHAFT GEAR	809297	29t	110
MAIN SHAFT LONG	011607	10 spl	226
2ND SPEED GEAR	640398/906197	22t	47
MAIN DRIVE	640428	18t	48
MAIN SHAFT GEAR	640390	10 spl	49
COUNTER SHAFT	640405	33t	50
1ST SPEED GEAR	640401/906199	29t	51
HUB	640391	30t+6 spl	52/3
SLEEVE	640396	30 spl	52/4
SYNCHRO ASLY W/O RING	640392		52A
INTERMEDIATE GEAR	809293	39t+18t	53
OUTPUT SFT HELICAL	809291	29t+12t	54
OUTPUT SFT	807767	12 spl	94
REVERSE IDLR GEAR	640417	16t	95

M & M PEUGEOT & NGT (4WD GEAR)

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
GEAR MAIN SHAFT	52028	29t	3090
MAIN SHAFT	92595		889/4
OUTPUT SHAFT	0703-DD-4520NVN		1360/4



GAJRA PRODUCT DIVISION (NON GEARS)

	Flywheel Rings & Assembly	16
	Synchro Ring / Steel Rings / Carbon Coated Rings	17-18
	Steering Worm & Sector Shaft	18-19
	Rear Axle & Diff. Cage	19
	Clutch Parts	20-22
	Brake Lining	23-24
	Coolant	24

No. 1 in Transmission Gears 

GAJRA CLUTCH SYSTEM

A RANGE TO RELY ON FOR ALL YOUR NEEDS!

A Complete range of Clutch and Clutch parts for MAV, HCV, LCV, Tractor, Jeep, Tata Ace & Maxximo.

All Clutch discs with original Imported buttons from Miba

ATTRACTIVE GEAR FOR MECHANICS



Tried the Gajra Synthetic 1:9 Coolant yet?

Gajra Gears Presents

GAJRA COOLANT

HIGH PERFORMANCE SYNTHETIC COOLANT CONCENTRATE

Advanced Synthetic Formulation - Tested and Proven to provide better protection against rust, corrosion and scaling. Better Heat Transfer Efficiency - Keeps your engine temperature lower.

Cooler Efficiency - Works even better by 70 to 80%.

Save 5 to 6 litres per 100 litres of water. (1:9 ratio) and 100% coolant life span. (1:1 ratio) and 100% coolant life span.

Approved for use in all types of engines. Also available in other concentrations for Special Engine Coolants.

Available in containers 1 lit, 2 lit & 5 lit for trucks



FLYWHEEL RINGS - TATA

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
FLYWHEEL RING GEAR TATA 1210	312-032-0105	125 Teeth	343
FLYWHEEL RING GEAR TATA 1210SE	312-032-0105	125 Teeth	344
FLYWHEEL RING GEAR TATA 407	2534-0311-5401	114 Teeth	345
FLYWHEEL RING GEAR TATA TC(159		159 Teeth O/M	346
FLYWHEEL RING GEAR TATA 2515 EX (173T	2786-0399-9969	173 Teeth	381
FLYWHEEL GEAR TATA 2515 EX(159T-H)	2786-0399-9968	159 Teeth (4 Hole)	382
FLYWHEEL GEAR TATA 2515 EX/2516 AIWA	2786-0798-9928	138 Teeth	383
FLYWHEEL GEAR TATA 2515 EX/TC(146T)	2525-0311-5454-931	146 Teeth (N/M)	384
FLYWHEEL GEAR TATA 2515 EX(127T-H)	2786-0399-9989	127 Teeth (Hole Type)	385
FLYWHEEL RING GEAR INDICA 120T	2790-0311-5401	120 Teeth	391
FLYWHEEL RING GEAR TATA 2516 (H/TYPE)	2786-0399-5402	138 Teeth (4 Hole Type)	386
FLYWHEEL RING GEAR TATA 206 136T	-	136 Teeth	362
FLYWHEEL RING GEAR TATA 608 114T	-	114 Teeth(6 Hole)	363

FLYWHEEL RINGS LEYLAND/ M&M/ HM/ MARUTI/ SWARAJ MAZDA/ EICHER

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
FLYWHEEL RING GEAR LEYLAND	AL-10005	136 Teeth	347
FLYWHEEL GEAR LEY HINO 8040 (126T)	FO741822D	126 Teeth	348
FLYWHEEL GEAR LEYLAND TAURUS (136T)	FO741322A	136 Teeth	353
FLYWHEEL GEAR LEYLAND 680 (159T)	NPN	159 Teeth (12 Hole)	377
FLYWHEEL GEAR L/L HINO 6D (136T)	F 0741922	136 Teeth	378
FLYWHEEL RING GEAR AMB.(120T)	H-30002-748	120 Teeth	349
FLYWHEEL RING GEAR AMB.CUT TYP	H-30002-748	120 Teeth Cut Type	350
FLYWHEEL RING GEAR TREKKER 97T	3027-035	97 Teeth	351
FLYWHEEL RING GEAR BMC ENGINE	-	97 Teeth	352
FLYWHEEL GEAR JEEP DIESEL (110T)	50116	110 Teeth	354
FLYWHEEL GEAR ARMADA MAHINDRA (146T)	9350115680	146 Teeth	355
FLYWHEEL RING GEAR JEEP PE.96T	7932-581	96 Teeth	356
FLYWHEEL RING GEAR FIAT (97T)	848506	97 Teeth	357
FLYWHEEL RING GEAR MARUTI CAR	12622-M-75000	96 Teeth	359
FLYWHEEL RING GEAR MARUTI VAN	12611-M-77000	96 Teeth	360
FLYWHEEL RING GEAR MARUTI GYPSY	12622-M-72000	96 Teeth	361
FLYWHEEL GEAR SWARAJ MAZDA (138T)	-	138 Teeth	369
FLYWHEEL GEAR MITSUBHIS.CANTER 110T	NPN	110 Teeth	370
FLYWHEEL GEAR ALLYWIN NISSAM (99T)	NPN	99 Teeth	371
FLYWHEEL GEAR DCM TOYOTA 110T	NPN	110 Teeth	372
FLYWHEEL GEAR MATADOR F-307 (140T)	NPN	140 Teeth	375
FLYWHEEL RING GR.MATADOR F-305	130908103	95 Teeth	376
FLYWHEEL RING GEAR QUALIS 101T	1345354010	101 Teeth	392
FLYWHEEL RING GEAR (CNG 80T)		80 Teeth	393
FLYWHEEL RING GEAR ZEN (100 T)	NPN	100 Teeth	390

FLYWHEEL RINGS - TRACTORS

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
FLYWHEEL GEAR PERKINS P-3 (122T) PL	410264	122 Teeth	469
FLYWHEEL GEAR PERKINS P-4 (115T)	410236	115 Teeth	470
FLYWHEEL GEAR PERKINS P-6 HOLE 122T	410019	122 Teeth	471
FLYWHEEL GEAR FORD 3000/3600 (128T)	CSHE	128 Teeth	472
FLYWHEEL GEAR HMT2011/2511/3511-120T	950316	120 Teeth	473
FLYWHEEL GEAR INTER B-275/434 110 T	-	110 Teeth	474
FLYWHEEL GEAR 125 T FOR PTL SWARAJ	NPN	125 Teeth	475
FLYWHEEL GEAR 173 T FOR SONALIKA750	NPN	173 Teeth	476
FLYWHEEL GEAR 138 T FOR SONALIKA740	NPN	138 Teeth	477
FLYWHEEL GEAR 138 T FOR SONALIKA740	NPN	138 Teeth (Hole Type)	478

FLY WHEEL RING ASSLY TATA / LEYLAND / TRACTOR

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
FWG ASSY 1312(GBS 40)	252303110104	125 T & 8 H	2331
FWG COMPLETE ASSY 2515EX (GBS50)	278660399983	173 T & 12 H	2332
TC 1312 (159 TEETH) 8 HOLE OM	2786-0399-9948	159 T & 8 H	2234
TC 1312 (159 TEETH) 8 HOLE NM	2786-0399-9970	159 T & 8 H	2235
FLYWHEEL ASSEMBLY TATA 407	2534-0311-0128	114 T & 6 H	2238
FLYWHEEL ASSEMBLY TATA ACE	2788-0311-0101	120 T & 6 H	2239
FWG ASSY.LEYLAND HINO - 136T	F0741922	136 T & 12H	2241
FWG ASSY.LEYLAND 370/400 -136T	F0741322	136 T & 12H	2242
FWG ASSY.LEYLAND 4018 - 136 T	B09224202	136 T & 12H	2243
AMW EURO-2/BS-2(138T) ASIA MOT	-	138 T & 12 H	2246
AMW EURO-3/BS-3(138T) ASIA MOT	-	138 T & 12 H	2247
FWA TATA-GB75 380MM (138T)	2786-0399-9801	138T & 12H COLLER TYPE	2248
FWG.ASSY.FOR TATA 1613 TURBO	2525-0311-0101/2525-0311-0126/2525-0311-0128	125 T & 12 H	2330
FWG.ASSY. TATA 2515 EX HYVA	2786-0398-9927	138 T & 12 H	2333
FWG.ASSY. TATA 1212 TC NM/TATA 1613 CNG	2786-0798-9927	159 T & 12 H	2236
FWG.ASSY. TATA 1312 TC	2786-0798-9925	127 T & 12 H	2337
FWG.ASSY. TATA 2515 / 2516 TURBO	2525-0311-0117	146 T & 12 H	2240
FWG.ASSY. TATA 2515 TURBO / 1615 TC	2525-0311-0132	146 T & 12 H - 6 SENSOR	2244
FWG.ASSY. TATA 2515 TC / 4018 TC / 3118 TC / 2518 TC	T065-6000-0053	138 T & 12 H (SENSOR TYPE)	2245

SYNCHRO RINGS (STEEL/CARBON COATED) TATA GB550/ 600/ GBS750/ 1150/ LEYLAND/ EICHER

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
SYNCHRO RING (CARBON) BIG	2691-2620-4650	36T	1324/4P
SYNCHRO RING (CARBON) SMALL	2691-2620-4651	36T	1325/4P
SYNCHRO RING(CARBON)BIG TATA GB750	2691 2620 4656	36T	2801
SYNCHRO RING(CARBON)SML TATA GB750	2691 2620 4655	36T	2802
SYNCHRO CONE.ASLY(SET-3)TATA GB750	2691 2620 0260	SET OF 3	2803
SYNCHRO RING FOR TATA GB75 1/2/3SP	2691 2620 4628	-	2805
SYNCHRO CONE.ASLY(SET-3)TATA GB750	2691-2620-0240	SET OF 3 (NEW VERSION)	2806
SYNCHRO RING BIG(THREAD) TATA 1150	2715 2620 4614	51 T & 38 INT. T	2815
SYNCHRO RING SMALL(THREAD)TATA1150	2715 2620 4613	51T	2816
SYNCHRO CONE TATA 1150 (CRW/1/2)	2715 2620 4605	51 T & 38 INT. T	2817
SYNCHRO CONE WITH CARBON (108DI)	2855-2620-1601	-	2810
SYNCHRO RING INTERMEDIATE (PLAIN)	2855-2620-4612	-	2811
INNER CONE WITH CARBON	2855-2620-4611	-	2812
SYNCHRO CONE FOR REVERSE GEAR	2855-2620-4614	-	2813
SYNCHRO RING 5/6TH FOR ZF	F-1600316/F-1624611	33T	1328P
SYNCHRO RING 3/4TH FOR ZF	F1624511	42T	1326P
SYNCHRO RING FOR EICHER MOLY COATED	ID 203706	24T (SMALL)	2821
SYNCHRO RING FOR EICHER THREADED TYPE	ID 304996	30T (SMALL)	2822
SYNCHRO SLEEVE FOR EICHER MOLY COATED	IB 003079	(SMALL)	2821/1
SYNCHRO SLEEVE FOR EICHER MOLY COATED	IB 003080	(BIG)	2822/1

SYNCHRO RINGS (BRASS) TATA/ LEYLAND

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
SYNCHRO BODY 2ND&3RD FOR TATA GBS4	322 260 0545	-	5002
SYNCHRO BODY 4TH&5TH FOR TATA GBS4	2505 3015 0103	-	5003
SYNCHRO RING SET FOR TATA 407	-	-	5004
SYNCHRO RING FOR TATA 407 (36T)	2515-2620-3801	36T	576
SYNCHRO RING FOR TATA 407 36T (1ST)	2515-2620-3801	36T 1st O/Size	576/1
SYNCHRO RING FOR TATA 407 (45T)	2515-2620-3802	45T	577
SYNCHRO RING FOR TATA 407 45T O/S	2515-2620-3802	45T 1st O/Size	577/1

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
SYNCHRO RING FOR TATA 407 (27T)	2515-2620-3803	27T	578
SYNCHRO RING FOR TATA 407 27T O/S	2515-2620-3803	27T 1st O/Size	578/1
SYNCHRO RING FOR TATA GBS 40	322-262-0137	44 Teeth (Std.)	575E
SYNCHRO RING FOR TATA GBS 40 O/S	-	44 Teeth 1st O/Size	575E/1
SYNCHRO RING TATA GB-40NM(W/SPRNG	NPN	44T (N/M) W/O Spr. Bracket	575E/NM
SYNCHRO RING FOR TATA GBS40 PLAIN	322-262-0137	44T Standard W/O Spr. Bracket	575EM
SYNCHRO RING-TATA GB40 PLAIN-1 O/S	-	44T 1st O/Size W/O Spr. Bracket	575EM/1
SYNCHRO RING FOR TATA 807 SPRING	2508 2620 3801	-	5093
SYNCHRO RING FOR TATA 807 PLAIN	2508 2620 3800	-	5094
SYNCHRO RING FOR GBS 50 (30T)	2507-2620-4604	30 Teeth (4th & 5th Speed)	5101
SYNCHRO RING FOR GBS 50 (36T)	2507-2620-4611	36 Teeth (2nd & 3rd Speed)	5102
SYNCHRO RING FOR GBS 50 (42T)	2507-2620-0124	42 Teeth (1st speed)	5103
SYNCHRO RING FOR GBS 50 (42T) N/M	-	42 Teeth N/M (1st speed)	5103NM
SYNCHRO RING FOR TATA 206/207 BIG	2519-2620-3801	-	5104
SYNCHRO RING FOR TATA 206/207 SMAL	2519-2610-3801	-	5105
SYNCHRO RING FOR TATA INDICA-BIG	2V04810699TA651	21 Teeth	5106
SYNCHRO RING FOR TATA INDICA-SMALL	2V04790699TA653	18 Teeth	5107
SYNCHRO RING FOR TATA ACE (SMALL)	-	18 Teeth	5112
SYNCHRO RING FOR TATA ACE (BIG)	-	21 Teeth	5113
SYNCHRO RING FOR TATA 608 (36T)	-	36 Teeth	592
SYNCHRO RING FOR LEY.ZF-SMALL(BRAS	NPN	-	5109
SYNCHRO RING FOR LEY.ZF-MEDIUM(BRS	NPN	42 Teeth	5110
SYNCHRO RING FOR LEY.ZF-BIG (BRASS	NPN	42 Teeth	5111

SYNCHRO RINGS - (BRASS) M&M/EICHER/MAZDA & H.M

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
SYNCHRO RING FOR MATADOR SET OF 4P	2200062/22015092	33 T	5095
SYNCHRO RING FOR MATADOR-THREADED	2200062	33 Teeth Threaded Bore	5095/1
SYNCHRO RING FOR MATADOR-PLAIN	22015092	33 Teeth Plain Bore	5095/2
SYNCHRO RING FOR NGT GEAR BOX	0703EA0010N	36 Teeth	5108
SYNCHRO RING FOR JEEP 1ST OVER SIZ	-	30 Teeth 1st O/Size	525/1
SYNCHRO RING FOR JEEP 2ND OVER SIZ	-	30 Teeth 2nd O/Size	525/2
SYNCHRO RING FOR JEEP 3RD OVER SIZ	-	30 Teeth 3rd O/Size	525/3
SYNCHRO RING FOR JEEP STANDARD	640397	30 Teeth Standard	525/S
SYNCHRO RING FOR EICHER MITSU.(42T	Me-601845	42 Teeth	579
SYNCHRO RING FOR EICHER MITSU.(39T	Me-601295	39Teeth	580
SYNCHRO RING FOR ALLWYN NISAN (33T	32604-T-8000	33 Teeth	581
SYNCHRO RING FOR ALLWYN NISAN (30T	32607-86404	30 Teeth	582
SYNCHRO RING FOR SWARAJ MAZDA (42T	W-502-17-265 C	42 Teeth	583
SYNCHRO RING FOR SWARAJ MAZDA (39T	W-502-17-245 A	39 Teeth	584
SYNCHRO RING FOR DCM TOYOTA (45T)	33367-40012 O/M	45 Teeth	585
SYNCHRO RING DCM TOYOTA NEW (45T)	33368-36042 N/M	45 Teeth (N/M)	586
SYNCHRO RING FOR DCM TOYOTA (27T)	33367-36030 O/M	27 Teeth (4th & 5th Speed)	587
SYNCHRO RING FOR DCM TOYOTA (39T)	33368-20012 O/M	39 Teeth (1st Speed)	588
SYNCHRO RING FOR DCM TOYOTA (33T)	33367-14010 O/M	33 Teeth (2nd & 3rd Speed)	589
SYNCHRO RING FOR JEEP PEUGOET (36T	52307	36 Teeth	590
SYNCHRO RING FOR JEEP PEU.36T O/S	-	36 Teeth 1st O/Size	590/1
SYNCHRO RING FOR JEEP PEUGOET (33T	52307	33 Teeth	591
SYNCHRO RING FOR JEEP PEU.33T O/S	-	33 Teeth 1st O/Size	591/1
SYNCHRO RING FOR AMB.1ST OVERSIZE	-	1st O/Size	735/1
SYNCHRO RING FOR AMB.2ND OVERSIZE	-	2nd O/Size	735/2
SYNCHRO RING FOR AMB.3RD OVERSIZE	-	3rd O/Size	735/3
SYNCHRO RING FOR AMB.STANDARD	H-3025457	Standard	735/S

STEERING WORM - TRACTOR

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
IC & MN ASSY.SWARAJ 724/735	P-334070		8060
IC & MN ASSY.SWARAJ 724FE/735FE	P-738100		8061
IC&MN A.SWARAJ 724FE/735FE(MOD	NPN		8061M
IC & MN ASSY. HMT 2522	35358300		8064
IC & MN ASSY. MF-1035 DI/245	2125683KI		8162

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
IC & MN Assy.Escorts 355/335	6395117		8163
STEERING Worm Shaft Swaraj FE/855-XL	P-334803		8164
STEERING Worm Shaft Swaraj FE/855-ZF	P-737003		8165
STEERING Worm Shaft Mahindra -XLO Ty	NPN		8166
STEERING Worm Shaft Mahindra -XLO N/	NPN		8167
STEERING Worm Sft ZF M&M 575/475/265	NPN		8168
STEERING WormDYN.M&M 575/475/265/275	1071129		8169
IC & MN Assy.Eicher 242/NC/364	NPN		8170
STEERING Worm Sft ZF Eichr342/NC/364			8171
STEERING Worm Sft.MF 245/1035Kn.Type	2125682K1		8172
STEERING Worm Sft.MF 245DI.L=25.5"	2125683K1		8173
STEERING Worm Sft.for MF.245(Xlo Typ	2125884K1		8174
Steering Worms for Power Track	NPN		8175
IC & MN Assy.MF-1035	212 5682-KI		862
IN & MN Assy.MF-135	HMT-2011-3011		863
IN & MN Assy.HMT 2011/3011	-		864
IC & MN Assy.HMT 2011/3011-RC	HMT-2511-3511		864R
IC & MN Assy.HMT 2511/3511	-		865
IC & MN Assy.HMT 2511/3511-RCB	4535700001		865R
IC & MN Assy.HMT 4511	6911-3509		866
IC & MN Assy.HMT 5911	B-275/435		867
IC & MN Assy.Inter B-275	1233092-R-91		868
IC & MN Assy.Inter B-275 DI	80NH3A710AA		869
IC & MN Assy.Mod.M&M B-275 DI	NPN		869M
IC & MN Assy.Ford 3600	-		870
IC & MN Assy.Ford 3000	-		870A
IC & MN Assy.Ford 3600 Mod	-		870M

STEERING WORM / SECTOR SHAFT - TATA

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
Steering Worm for Tata 2515	-		8176
Steering Worm for Tata 1613	-		8177
Steering Worm for Tata 1109	-		8178
Steering Worm for Tata 709	-		8179
Steering Worm for Tata 608	2508 2620 5801		8059
Steering Worm for Tata 1210D	042-460-6096 J		859D
Steering Worm for Tata 407	2651-4620-0121		859L
Steering Worm For Tata 407 Mod	042-460-0409 J		859LM
Steering Worm for Tata 1210S / 1312			859S
Sector Shaft 1210D	321-460-0911		860D
Sector Shaft 1210S	2125682K1		860S

REAR AXLE

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
Rear Axle for Tata M-65	2570 3570 7901	38 S & 35 T	924 P
Rear Axle for Tata M-85	2570-3570-7904	38 S & 44 T	925 P
Rear Axle for Tata M-1312	2575-3570-79022	40 S & 42 T	926 P
Rear Axle for Tata M-2515 EX	266835707901	37 S & 38 T	932 P
Mahindra Pickup&Savari 29.5" L		19 S & 10 H/29.5" 42 T	936 P
Mahindra Max Pickup Bolero 32"		19 S & 10 H/32.00"	937 P
Axle Jeep M & M Maxi Truck 27"		19 S & 10 H/27.00"	938 P
Rear Axle for Leyland Supr.Com	F-333-7611	37 S & 8 Rear M H	941 P
Mahindra Bolero TC (N/M)	0502 FAA 0860 N	30 S & 27.5" Small	2901
Mahindra Bolero TC (N/M)	0502 FAA 1560 N	30 S & 32.00" Big	2902

DIFF. CAGE - TATA 1210S/1312/2515EX


DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
Diff. Cage Tata 1312	257535300105		681E
Diff. Cage for Tata 2515EX(14T)	273235300183		681EX
Diff. Cage for Tata 2515EX(20T)	273235300139		681EX1
Diff. Cage Tata 1210S	2574 3530 0102		681S



1 in transmission gears

GAJRA GEARS

Now Introducing World Class



CLUTCH SYSTEMS

RANGE:

1. Clutch plates pressure plates, cover assemblies suitable for all TATA, LEYLAND and TRACTORS.
2. Clutch plates suitable for TATA 1613/1512, TATA 2515/EX are equipped with miba pads/buttons.
3. Damper kits suitable for all TATA vehicles.
4. Pressure plates and cover assemblies.



GAJRA GEARS is one of the largest Gear Manufacturers in India. It has ISO/TS 16949, ISO 14000 and OHSAS 18000 certifications. It is equipped with most modern and technologically advanced equipments for gear manufacturing. The company is now introducing world class clutches.

Clutch and its purposes:

The clutch is a mechanical device used to disconnect and reconnect driving (Engine) and driven (Transmission assy).

PURPOSE:

1. When engaged, the clutch allows the engine and drive line to rotate together.
2. When disengaged, the Clutch disconnects the engine from the drive line allowing it to remain running while the vehicle is stopped.
3. The clutch can be used to interrupt and reconnect the flow of engine power to allow the changing of transmission gears, or to engage or disengage a power take off unit.

PRESSURE PLATE AND CLUTCH ASSEMBLY COMPONENTS:

1. **Clutch Disc:** It is the driven portion of the assembly that transmits power from the engine fly wheel to the transmit input shaft.
2. **Clutch Damper Unit:** In the center portion of the clutch disc, between the friction facings and the spline hub, is the clutch damper unit.
3. **Pressure Plate:** It is the large cast iron disc precisely machined on one side to press flat against the clutch disc.
4. **Clutch Cover:** Is a light weight stamping designed to provide high strength and excellent heat dissipation.
5. **Clutch Release Bearing:** Is used to disconnect the clutch diaphragm spring to the clutch linkage.

DO'S AND DON'Ts WHILE ASSEMBLING

1. The clutch disc must be checked for wear or damage and should also be clearly examined for contamination.
2. Examine disc thickness and inspect the friction material for signs of excessive wear or heat damage.
3. Used flywheels and pressure plate cover assembly should be properly inspected for heat checks, warpage, scoring or cracks. Flywheels having these conditions may need to be reinforced or replaced depending on vehicles manufacturers specification.
4. Never let the weight of the transmission hang on the input shaft and clutch during transmission installation. The clutch disc and input shaft can be damaged if this occurs.
5. Lubricate the clutch release bearing with high melting point grease.
6. Lubricate the clutch release fork pivoting pivot with high melting point grease on both sides of clutch housing.

330 mm
Clutch Plate
(with MIBA
Buttons)

Clutch
Plate

Pressure
Plate

Spring Kit
and
Lever Kit

1 in transmission gears now introducing world class

CLUTCH SYSTEM

CLUTCH PLATE-TATA HCV/ MAV/ LCV/ TATA ACE

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
TATA 1210S - 280MM	2640-2520-0105	11" (280mm) M. FACING	2500
TATA 1210SE/GBS-40 - 310MM	2573-2520-0108	12"(310mm)M.F.8 SPRING (HUB 44MM)	2501
TATA 1210SE/GBS-40 310MM NON F	2573-2520-0109	12"(310mm)M.F.8 SPRING (HUB 36MM)	2501/1
TATA 1613/1512 TC 6 FAN 330MM	2724-2520-0163	13"(330MM) WITH MIBA C.B.	2502
330 DIA CLUTCH PLATE N/A FACING		13"(330MM) NA FACING	2502/1
TATA 2515/GB-50 6 FAN 352MM	2724-2520-0108	14" (352MM) MIBA BUTTON	2503
TATA 3015/GB-60 6 FAN 360MM	2752-2520-0106	14" (352MM) MIBA BUTTON	2504
TATA ACE-A/F	2724-2520-0113	7"(170MM)NA FACING	2405
CLUTH.DISC.TATA ACE HEAVY DUTY	NPN	7"(170MM)RWC GDY.	2405H
TATA 608 N.A. FACING 4MM	NPN	11" (280MM) N.A. FACING	2507
TATA 608 AF BLACK FACING	2640-2520-0108	11" (280MM) M. FACING	2508
TATA 407 WITH MOULDED FACING	2651-2520-0132	9.5" (240MM) M. FACING	2409
TATA 407 TURBO AF BLACK FACING	2651-2520-0136	9.5" (240MM) N.A. FACING	2510
TATA SUMO BLACK AF BLACK FACING	NPN	9"(228MM) N.A. FACING	2411
CERAMIC BUTTON TATA GB40/50/60	NPN	SET OF 12 PCS. WITH RIVETS	2414
CERAMIC BUTTONS RIVET 12P IMPO	NPN	-	2415
TATA 1312TC/1512TC(GB-40)310MM	2763-2520-0119	12"(310MM) N.A. FACING	2518
C/PLATE FOR TATA GB 75/4018-D	2724-2520-0134	15"(380MM) N.A. FACING	2524
380 DIA CERAMIC C/PLATE FOR GB	292 02 0006	15"(380MM)MIBA BUTTON FACING	2524/1
CLUTH PLATE TATA 709 TURBO	2641-2540-0103	11"(280MM) N.A. FACING	2525

CLUTCH PLATE-LEYLAND / EICHER / SWARAJ MAZDA

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
LEYLAND 14" MOULDED - 352MM	B1305701	14"(352MM) M. FACING	2406
CLUTCH PLATE 14" AF LEYLAND	B1304801	14"(352MM) NA FACING	2406/1
LEYLAND 15" WITH MOULDED FACING	B1310005	15"(380MM) M. FACING	2412
LEYLAND 4018 WITH AF BLACK FACING	B1301403	15"(380MM) N.A. FACING	2413
CLUTCH PLATE LEYLAND 14" WITH	B1304201	14"(352MM) MIBA BUTTONS	2416
CLUTCH PLATE LEYLAND 15" WITH	B1304301	15"(380MM) MIBA BUTTONS	2417
LEYLAND CARGO	B1303714	12" (310MM)	2443
LEYLAND E-COMET	B1303701	13" DIA NA FACING	2444
275 DIA EICHER CANTER C/PLATE		10.5"(275MM) NA FACING	2421
SWARAJ MAZDA CLUTCH PLATE	LP0116460V	10.5" & NA FACING	2423

CLUTCH PLATE - M&M

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
MAHINDRA 232MM/9.25" DI ENGINE	32110080	9.25"(234MM) N.A. FACING	2419
MAHINDRA 240MM/9.50" DI ENGINE	08018A0161N	9.5"(240MM) N.A. FACING WITH 6 SPRING	2420
240 DIA CLUTCH PLATE FOR M&M	080BA01431N	9.5"(240MM) N.A. FACING WITH 4 SPRING	2422

PRESSURE PLATE

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
TATA 1210S - 280 MM	NPN	11" Dia (280MM) 3 Lever	2526
TATA 1210SE/GBS-40 - 310MM	2763-2540-3701	12" (310MM) 4 Lever	2527
TATA 1210SE-DIAPH - 310MM	2574-2540-0104	12" Dia (310MM)	2528
TATA ACE	NPN	7" Dia (170MM)	2429
TATA 1613/1512 TC 3 TELCO 330M	2724-2540-0109	13" Dia (330MM) 3 Lever	2530
TATA GBS-60 WITH BEARING 360MM	2754-2540-0105	14" Dia (352MM) 3 Lever	2431
TATA GBS-60 WITHOUT BEARING 360MM	NPN	14" Dia (352MM) 3 Lever	2431/1
TATA GBS-50 WITH BEARING 360MM	2754-2540-0108	14" Dia (352MM) 3 Lever	2432
COVER ASSY 608 DIAPHRAGM T	2641-2540-0103	11" Dia (310MM)	2533
COVER ASSY 407 DIAPHRAGM TYPE	2641-2540-0103	9.5" Dia (240MM)	2535
COVER ASSY 330 DIA	2763-2540-0112	13" (330MM), 4 Lever	2537

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
DIAPHRAGM COVER ASSY FOR TATA SUMO	NPN	9" DIA (228MM)	2436
TATA 1312TC/1512TC(GB-40)310MM	2763-2540-0102	12" DIA (310MM)	2538
240 DIA COVER ASSLY FOR M&M	0801CA0030N	9.5" DIA (240MM)	2439
COVER ASSY.9.25" DI ENGINE	3210133	9.25" (234MM), 3 Lever	2440
CLUTCH COVER ASSY 709/608 TURBO	2641-2540-0105	11"(280MM)	2541
PRESSURE PLATE ASSY.380 DIA	2724-2540-0129	15" Dia (380MM), 3 Lever	2448

PRESSURE PLATE TAWA

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
TATA 1210SE/GB-40 - 310MM	2763-2540-3701	12" Dia (310MM)	2551
TATA-1613/1512 TC 3 LEVER-330M	2724-2540-0109	13" Dia (330MM)	2552
330 DIA PRESSURE PLATE (4LEVER)		13" Dia (330MM), 4 Lever	2452/1
TATA 2515 TC/ GB-50 - 352MM	2754-2540-0114	14" Dia (352MM)	2553

LEVER KIT

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
TATA 1210SE/GB-40 - 310MM	2573-2540-0602	4 Lever , En8D Forged	2566
TATA-1613/1512 TC-3 LEVER-330M	2724-2540-0112	3 Lever	2567
TATA 2515 TC / GB-50 - 352MM	2754-2540-0110	3 Lever	2468
LEVER KIT GB-60 WITH EYE BOLT	2754-2540-0110	3 Lever	2468M
LEVER KIT 330 DIA 4 LEVER	NPN	4 Lever	2469

SPRING KIT

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
TATA 1210SE/GB-40 - 310MM	2573-2540-0602	12 Spring	2581
TATA-1613/1512 TC-3 9 SPR.330M	2724-2540-8704	9 Spring	2582
TATA 2515 TC/GB-50 21 SPR.352M	2754-2540-0111	21 Spring	2483
SPRING KIT 330 DIA 4 LEVER	NPN	16 Spring	2484

RELEASE BEARING

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
RELEASE BEARING FOR GB-50	2754-2540-0118	1.5" Bore TEXPIN/DELUX Brand	2490
RELEASE BEARING FOR GB-60	2752-2540-0110	1.75" Bore TEXPIN/DELUX Brand	2491

LEYLAND FACE & BACK PLATE

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
LEYLAND FACE PLATE 14"	F7202322	19MM Thickness	2454
LEYLAND FACE PLATE 15"	F7200522	14MM Thickness	2455
LEYLAND FACE PLATE 14"	F3032422	4 Lever Type	2456
LEYLAND FACE PLATE 15"	F3032622	4 Lever Type	2457

COMBO SET

DESCRIPTION	O.E. PART NO.	SPECIFICATION	GG No.
COMBO SET TATA ACE	-	170 Dia	2492
COMBO SET TATA ACE HEAVY DUTY	-	170 Dia Heavy Duty	2492H
VIKRAM COMBO SET	44120150	160 Dia	2493
MAXIMO COMBO SET	0801BAA0130N	160 Dia	2495

BRAKE LINING (ASBESTOS FREE)

	GRADE	APPLICATION / MODEL	SIZE	F/ R	No. OF SET	GG No.
	ASBESTOS					
<u>TATA TS-1</u>	ECO Power	TATA 1510/1612 with S'CAM Air Brakes (Tapered Linings) 1510/1612/2515/3516/4018	STD	F	8	2650
			1/O			2651
			2/O			2652
	HD-OPTIMA		STD	F	8	2653
			1/O			2654
			2/O			2655
<u>TATA TS-2</u>	ECO Power	TATA 1510/1612 with S'CAM Air Brakes (Tapered Linings) 1510/1612/2515/3516/4018	STD	R	8	2656
			1/O			2657
			2/O			2658
	HD-OPTIMA		STD	R	8	2659
			1/O			2660
			2/O			2661
<u>TATA 709</u>	ECO Power	TATA 709 CAM/F 909 EX	STD	F & R	4	2662
			1/O			2663
			2/O			2664
	HD-OPTIMA		STD	F & R	4	2665
			1/O			2666
			2/O			2667
<u>TATA 1109</u>	ECO Power	TATA1109/Eicher 1009	STD	F & R	4	2668
			1/O			2669
			2/O			2670
	HD-OPTIMA		STD	F & R	4	2671
			1/O			2672
			2/O			2673
<u>LEYLAND SM 1 & 2</u>	ECO Power	Leyland comet 5" Roller follower (Automotive Axles) (Tapered Lining)(10 Hole)	STD	F	8	2674
			1/O			2675
			2/O			2676
	HD-OPTIMA		STD	F	8	2677
			1/O			2678
			2/O			2679
<u>LEYLAND SM 3 & 4</u>	ECO Power	Leyland comet 7" Roller follower (Automotive Axles) (Tapered Lining)(10 Hole)	STD	R	8	2680
			1/O			2681
			2/O			2682
	HD-OPTIMA		STD	R	8	2683
			1/O			2684
			2/O			2685
<u>LEYLAND SM 10 & 11</u>	ECO Power	FOR 12 MTR. BUS (8" 12 HOLES)	STD	R	8	2686
		FOR 12 MTR. BUS (8" 10 HOLES)	STD	R	8	2687

BRAKE LINING (ASBESTOS)

	GRADE	APPLICATION / MODEL	SIZE	F/ R	No. OF SET	GG No.
	ASBESTOS					
TATA TS-1	ECO Power	TATA 1510/1612 with S'CAM Air Brakes (Tapered Linings) 1510/1612/2515/3516/4018	STD	F	8	2600
			1/O			2601
			2/O			2602
	HD-OPTIMA		STD	F	8	2603
			1/O			2604
			2/O			2605

	GRADE	APPLICATION / MODEL	SIZE	F/ R	No. OF SET	GG No.
	ASBESTOS					
TATA TS-2	ECO Power	TATA 1510/1612 with S'CAM Air Brakes (Tapered Linings) 1510/1612/2515/3516/4018	STD	R	8	2606
			1/O			2607
			2/O			2608
	HD-OPTIMA		STD	R	8	2609
			1/O			2610
			2/O			2611
TATA 709	ECO Power	TATA 709 CAM/F 909 EX	STD	F & R	4	2612
			1/O			2613
			2/O			2614
TATA 909	ECO Power	TATA 909EX	STD	R	4	2615
			1/O			2616
			2/O			2617
TATA 1109	ECO Power	TATA1109/Eicher 1009	STD	F & R	4	2618
			1/O			2619
			2/O			2620
LEYLAND SM 1 & 2	ECO Power	Leyland comet 5" Roller follower (Automotive Axles) (Tapered Lining)(10 Hole)	STD	F	8	2621
			1/O			2622
			2/O			2623
	HD-OPTIMA		STD	F	8	2624
			1/O			2625
			2/O			2626
LEYLAND SM 3 & 4	ECO Power	Leyland comet 7" Roller follower (Automotive Axles) (Tapered Lining)(10 Hole)	STD	R	8	2627
			1/O			2628
			2/O			2629
	HD-OPTIMA		STD	R	8	2630
			1/O			2631
			2/O			2632

DISC BRAKE PAD & SHOES

DESCRIPTION	SIZE	GG NO.
Brake Pad for Mahindra Bolero/Armada/Utility/Tata Sumo	-	251
Brake Pad for Tata ACE/Magic/Indica/Xeta	-	252
Brake Shoes for Tata ACE/Magic/Indigo	KBX Type	261

RIVETS FOR BRAKE LINING

DESCRIPTION	SIZE	GG NO.
SUITABLE FOR TS1/TS2/SM1&2/SM3&4	10/12	10/12 R
SUITABLE FOR 709/909/1109	L 10	L 10 R

COOLANT

DESCRIPTION	GG NO.
CONCENTRATE 1 LITRE	GGCL1
CONCENTRATE 3 LITRE	GGCL3
CONCENTRATE 5 LITRE	GGCL5

GAJRA GEARS

LEYLAND Crown wheel & Pinion for Multi Axle Vehicles 2416/3516TC/2214




SALIENT FEATURES

- Material :-**
Only EN-353 and 20MnCr5 steel with specified Jominy is used.
- Teeth Cutting :-**
Crown Wheel & Pinion : On Gleason Machines with five cut Gleason system.
Spider Kit : On Gleason/Coniflex cut system.
- Contact Pattern :-**
Controlled and uniform balanced centre contact. (Contact pattern marked with yellow colour)
- Heat treatment :-**
Case carburising, Hardening, Tempering in World Class AICHELIN Make, Computer Controlled **Continuous Gas Carburizing Furnace**.
- Testing :-**
Each set is tested on Gleason-Tester for its Quality Requirement such as:
a) Noiseless running.
b) Centre Balanced contact.
c) Correct mounting.
d) Proper backlash.
- Service :-**
100% customer satisfaction after sale and set fitment.

GAJRA GEARS

TATA Crown wheel & Pinion for HYVA - Multi Axle Vehicles 2516/3516TC/4018



WORKS

Loharpalya, A.B. Road,
Kshirpa, Dewas-455 001 (M.P.)
Phone: (+91-7272) 264151, 264155, 264572,
421125, 421123, 421124, Fax: 421001
Email : marketing@gajra.com



TATA Heavy Vehicles



Differential Range for TATA 2515EX



LEYLAND Heavy Vehicles



CROWN WHEEL & PINION SETS TATA HCV/ MAV/ LCV

ITEM DESCRIPTION	O.E. PART NO.	RATIO	GGNO.
C.W.P. 1210 S	2573-3530-0102	7X48	GGC1M
C.W.P. 1210 S (STRAIGHT TEETH)	322-350-1139	7X48	GGC4M
C.W.P. 1312 /1612	2573-3530-0122	7X45	GGC5M
C.W.P. 1613	2574-3530-0115	6X41	GGC14M
C.W.P. 1510	2668-3530-0130	7X37	GGC77
C.W.P. 1510 TC	2668-3530-0137	7X41	GGC92M
C.W.P. 2416	2669-3530-0109	7X48	GGC13
C.W.P. 2518/3118	2732-3530-0203	7X43	GGC81
C.W.P. 2515 EX	2732-3530-0131	7X41	GGC82
C.W.P. 2515 EX	2732-3530-0130	6X41	GGC83
C.W.P. 2516 TC (HYVA) REAR	2725-3530-0102	6X41	GGC97T
C.W.P. 2516 TC (HYVA) FRONT	2725-3530-0103	6X41	GGC99T
C.W.P. 407	2651-3530-0110	8X37	GGC10
C.W.P. 407	2651-3530-0106	8X41	GGC12
C.W.P. 709	2661-3530-0115	8X31	GGC79
C.W.P. 807/909	2604-3530-0103	7X41	GGC80
C.W.P. 807/909		9X48	GGC108

SPARE PINION TATA HCV/ MAV/ LCV

ITEM DESCRIPTION	O.E. PART NO.	RATIO	GGNO.
1210 S	NPN	7X48	GGT1M
1210 S (S.Teeth)	NPN	7X48	GGT4M
1312 /1612	NPN	7X45	GGT5M
1613	NPN	6X41	GGT14M
1510 TC	NPN	7X41	GGT92M
2416	NPN	7X48	GGT13
2518/3118	NPN	7X43	GGT81
2515 EX	2732-3530-5418	7X41	GGT82
2515 EX	NPN	6X41	GGT83
2516 TC HYVA (REAR)	2725-3530-5402	6X41	GGT97
2516 TC HYVA (FRONT)	2725-3530-5401	6X41	GGT99
407	NPN	8X37	GGT10
407	NPN	8X41	GGT12
709	NPN	8X31	GGT79

SPIDER KIT ASSAMBLY & ACCOSSORIES-TATA

ITEM DESCRIPTION	O.E. PART NO.	RATIO	GGNO.
1210 S (38 SPLINE)	NPN	10X18	GGK1M
1312 (40 SPLINE)	2575-3530-0109	10X18	GGK5M
1612 TURBO (9X16) (40 SPLINE)	8854-3506-1613	9X16	GGK94
2515 EX-SKA (20-T) (37 SPLINE)	2732-3530-0176	11X20	GGK83M
2515 EX-SKA (14-T) (37 SPLINE)	2532-3530-0215	9X14	GGK84M
2516 TC HYVA SPIDER KIT (41 SPLINE)	2725-3530-0116	9X14	GGK99
407 SPIDER KIT ASSEMBLY (23 SPLINE)	2665-3530-0104	10X16	GGK10

AXLE SHAFT (BEVEL) GEAR-TATA

ITEM DESCRIPTION	O.E. PART NO.	RATIO	GGNO.
1210 S (38 SPLINE)	2574-3530-5401	18 T	GGB1M
1312 (40 SPLINE)	2575-3530-5405	18 T	GGB5M
1612 TURBO (9X16) (40 SPLINE)	2668-3530-5439	16 T	GGB94
2515 EX BEVEL GEAR (20-T) (37 SPLINE)	2732-3530-5401	20 T	GGB83M
2515 EX BEVEL GEAR (14-T) (37 SPLINE)	2732-3530-5442	14 T	GGB84M
2516 TC HYVA BEVEL GEAR (14-T) 41 SPLINE	2725 3530-0108	14 T	GGB99
407 BEVEL GEAR 16-T (23 SPLINE)	2651-3530-5403		GGB10

SPARE SPIDER-TATA

ITEM DESCRIPTION	O.E O.E. PART NO.	RATIO	GGNO.
1210S SPIDER	321-353-0220		GG51M
1312 SPIDER	2575-3530-5101		GG55M
1612 TURBO SPIDER	NPN		GG594
2515 EX SPIDER	2732-3530-5113		GG583M/ 84M
2516 TC HYVA SPIDER	2725-3530-5102		GG599
407 SPIDER	2651-3530-5103		GG510

CROWN WHEEL & PINION SETS-TATA ACE

ITEM DESCRIPTION	O.E O.E. PART NO.	RATIO	GGNO.
CROWN WHEEL & PINION SETS THIN	2858-3500-0135	7X36	GGC85
CROWN WHEEL & PINION SETS THIN	2850-3530-0119	9X44	GGC86
CROWN WHEEL & PINION SETS THICK	2850-3530-0115	9X44	GGC86M
CROWN WHEEL & PINION SETS THICK	2850 3530 0107	7X31	GGC87M
CROWN WHEEL & PINION SETS THIN	2850-3530-0121	9X40	GGC88
CROWN WHEEL & PINION SETS THICK	2858-3500-0119	9X40	GGC88M
CROWN WHEEL & PINION SETS THIN	2850-3530-0140	8X39	GGC89
CROWN WHEEL & PINION SETS THICK	2850-3530-0142	8X39	GGC89M
CROWN WHEEL & PINION SETS LONG PINION CNG	2850-3530-0143	9X44	GGC96

CROWN WHEEL & PINION SETS-LEYLAND HCV/ MAV

ITEM DESCRIPTION	O.E O.E. PART NO.	RATIO	GGNO.
C.W.P. SET (21 No. BOLT)	F-1601711	6X37	GGC16
C.W.P. SET (21 No. BOLT)	F-1660311	6X35	GGC17
C.W.P. SET (14 MM HOLE)(22 No. BOLT)	F-1606711	6X37	GGC22
C.W.P. SET (14 MM HOLE) (22 No. BOLT)	F-1606911	6X35	GGC23
C.W.P. SET 1616 TIPPER	P-4314416	7X39	GGC21
C.W.P. SET 3118	P-4314016	6X37	GGC24
C.W.P. SET (2214)	P-4304916	6X41	GGC25
C.W.P. SET FOR 1613 TIPPER	P-4900516	6X37	GGC26
C.W.P. SET	P-4305339	6X37	GGC27
C.W.P. SET 2516 TC HYVA (REAR)	P-4305016	6X41	GGC97L
C.W.P. SET 2516 TC HYVA (FRONT)	P-4308116	6X41	GGC99L

SPARE PINIOIN

ITEM DESCRIPTION	O.E O.E. PART NO.	RATIO	GGNO.
LEYLAND PINION	NPN	6X37	GGT16
LEYLAND PINION	NPN	6X35	GGT17/ T23
LEYLAND 1616 TIPPER PINION	NPN	7X39	GGT21
LEYLAND 3118 PINION	NPN	6X37	GGT24
LEYLAND PINION (6X41)	NPN	6X41	GGT25
LEYLAND PINION (6X37) FOR 1613 TIPPER	NPN	6X37	GGT26
LEYLAND PINION (6X37)	NPN	6X37	GGT27
LEYLAND 2516 TC HYVA PINION (REAR)	NPN	6X41	GGT97
LEYLAND 2516 TC HYVA PINION (FRONT)	NPN	6X41	GGT99

CROWN WHEEL & PINION SETS - EICHER /SWARAJ MAZDA

ITEM DESCRIPTION	O.E. PART NO.	RATIO	GGNO.
EICHER CANTER C.W.P. SET	IA-200184	7X46	GGC49
EICHER CANTER C.W.P. SET	MB-161-202/197	6X37	GGC51
EICHER - 1110 C.W.P. SET	IA-207873	7X48	GGC54
EICHER - 1110 C.W.P. SET	IA-221643	6X37	GGC55
SWARAJ MAZDRA C.W.P. SET	W015-27-110B	7X46	GGC56
EICHER CANTER C.W.P. SET	IA-201963	7X46	GGC68

CROWN WHEEL & PINION SETS-M & M

ITEM DESCRIPTION	O.E. PART NO.	RATIO	GGNO.
JEEP C.W.P. SET	19732	11X47	GGC35
JEEP C.W.P. SET (FOR TOURISTER)	0010839	8X43	GGC36
JEEP C.W.P. SET (FOR MAHINDRA)	0502-DA-2020N	11X41	GGC37
JEEP C.W.P. SET	0502DA1320N	11X47	GGC38
JEEP C.W.P. SET	0502DA1520N	10X43	GGC43
JEEP C.W.P. SET (FOR MAX PICK UP)	0502DA1080N	10X43	GGC43M
JEEP C.W.P. SET	0502DA1700N	10X43	GGC43N
JEEP C.W.P. SET	0502-DA-0160N.	11X50	GGC44
JEEP C.W.P. SET (FOR MAHINDRA)	0502-DA-1310N	11X41	GGC47
JEEP C.W.P. SET (FOR MAHINDRA)	0502-DA-1400N	11X41	GGC47M
JEEP C.W.P. SET (10 SPLINE)	0052895	11X41	GGC47S
M&M MAXIMO C.W.P. SET	0502DA1610N	7X32	GGC76

SPIDER KIT ASSLY - M&M

ITEM DESCRIPTION	O.E. PART NO.	RATIO	GGNO.
SPIDER KIT ASSLY(02 B/GEAR 30 SPLINE +04 B/PINION)	0502-DA-30390N	16X10	GGK57

CROWN WHEEL & PINION SETS - TRACTOR

ITEM DESCRIPTION	O.E. PART NO.	RATIO	GGNO.
M.F. C.W.P. SET	(1683757M-91)/ 182-089- M2/182-088-M2	6X37	GGC60
M.F. DI C.W.P. SET (DI)	1683757M91	6X37	GGC61
FORD C.W.P. SET	C-5NN-4210-C/DINN-46-0C/DINN-4610-E	6X37	GGC63
M.F. C.W.P. SET	1310A01101	7X39	GGC65
INTER C.W.P. SET	709448R92 (1127032R91)	9X44	GGC66
SWARAJ-735 C.W.P. SET	P-252001	11X40	GGC72
ESCORTS C.W.P. SET 10 SPLIN	5001311.1/01312.1	9X40	GGC74
ESCORTS C.W.P. SET 14 SPLIN	D10113560	9X40	GGC74C
HMT ZETTOR C.W.P. SET	200-2597-9	13X47	GGC78

LOOSE PINION - TRACTOR

ITEM DESCRIPTION	O.E. PART NO.	RATIO	GGNO.
M.F. PINION	NPN	6X37	GGT60
M.F. DI PINION (LONG)	NPN	6X37	GGT61
FORD PINION	NPN	6X37	GGT63
M.F. PINION	NPN	7X39	GGT65
ESCORT PINION (10 SPLIN)	NPN	9X40	GGT74
ESCORT PINION (14 SPLIN)	NPN	9X40	GGT74C

SPIDER KIT ASSLY

ITEM DESCRIPTION	O.E. PART NO.	RATIO	GGNO.
M.F. TRACTOR SPIDER KIT ASSEMBLY	2126753K01	10X14	GGK60
M.F. TRACTOR SPIDER KIT ASSEMBLY (BIG COLLAR)	TAFE 0301	10X14	GGK62


CROWN WHEEL & PINION SETS - VIKRAM

ITEM DESCRIPTION	O.E. PART NO.	RATIO	GGNO.
C.W.P. SETS (6 HOLE)	250498/250499	8X33	GGC95
C.W.P. SETS (8 HOLE)		8X33	GGC95M

CERTIFICATIONS & AWARDS

TS-16949 | ISO-14001 | OHASA-18001

VDA 6.3 Under Implementation



OEM Supplier of The Year Award (TAFE)

2007 | 2010 | 2012 | 2013


EEPC Star Performer Award for Exports

2010 | 2011 | 2012

Various Six Sigma & Quality Circle Awards

Silver Certificate by Caterpillar for Quality and Delivery 2016

MARKETS SERVED



GAJRA GEARS PVT. LTD.

« #1 in Transmission Gears »

Works : Station Road, Dewas - 455001 (M.P.) INDIA
Ph. : +91 7272 427500, Direct No. 427421
Mob. : +91 93011 74125, Fax : +91 7272 427402

Regd. Office : Elve Chambers, Green Street, Fort, Mumbai - 400 023, INDIA
Ph. : +91 22 22662088, 22662742
web : www.gajra.com